Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

CONNECTICUT—*New London.*—Month of October, 1910. Population, 19,659. Total number of deaths from all causes 27, including typhoid fever 1, tuberculosis 2. Cases reported: Typhoid fever 4, scarlet fever 1, diphtheria 1, tuberculosis 4.

FLORIDA.—Reports from the State board of health show as follows: Week ended October 22, 1910, typhoid fever present in 3 localities with 7 cases, smallpox in 1 county (Gadsden) with 1 case, scarlet fever in 1 locality with 1 case, diphtheria in 5 localities with 7 cases, malaria in 7 localities with 16 cases, tuberculosis in 4 localities with 5 cases.

Week ended October 29, 1910: Typhoid fever present in 2 localities (Tampa and Jacksonville) with 3 cases, smallpox in 3 counties (Hillsboro, Leon, and Osceola) with 28 cases, scarlet fever in 1 locality (Pensacola) with 1 case, diphtheria in 4 localities with 4 cases, malaria in 4 localities with 21 cases, tuberculosis in 2 localities (Tampa and Jacksonville) with 5 cases.

IOWA—*Davenport.*—Month of October, 1910. Population, 42,000. Total number of deaths from all causes not reported. One death from diphtheria reported. Cases reported: Scarlet fever 4, diphtheria 13, tuberculosis 10.

NEW YORK—*Rochester.*—Month of September, 1910. Population, 190,000. Total number of deaths from all causes 266, including measles 1, tuberculosis, pulmonary, 21. Cases reported: Typhoid fever 46, measles 8, scarlet fever 10, diphtheria 5.

UTAH.—Month of September, 1910. Population, 346,873. Total number of deaths from all causes 292, including typhoid fever 29, scarlet fever 5, diphtheria 4, tuberculosis 5. Cases reported: Typhoid fever 364, smallpox 42, measles 8, scarlet fever 105, diphtheria 33, tuberculosis 9.

VIRGINIA—*Petersburg.*—Month of October, 1910. Population, 30,000. Total number of deaths from all causes 65, including typhoid fever 2, diphtheria 2, tuberculosis 9. Cases reported: Typhoid fever 8, scarlet fever 1, diphtheria 34, tuberculosis 5.